

DECLARATION OF COMPLIANCE

Description	Material	Article Number
Lids	PS	127762

Duni declares that the article meets the requirements of:

- Article 3, 11(5), 15 and 17 of Regulation (EC) No 1935/2004 (Framework regulation)
- EU Regulation 2023/2006/EC (GMP)
- EU Regulation 10/2011/EC with amendments (Plastic regulation)

Overall migration (1)

According to the above-mentioned regulation EU Regulation 10/2011, the overall migration does not exceed 10 mg/dm² or 60 mg/kg.

Specific migration (2)

This article contains monomers or additives subject to restrictions under the plastic regulation 10/2011 and its amendments. A specific migration test proves that these are within the limits. If more information regarding the monomers or additives are needed, please contact Duni Group.

Area of use

Based on the migration tests and Declaration of Compliance in Duni's possession, the lids can be used safely with all types of foodstuffs, serving cold and hot. The articles can be used for storage, hotfill¹ and temperatures up to 2 hours at 70°C.

The lids are safe to use with all kinds of beverages up to hotfill conditions from a food contact perspective. However, it is not recommended to use them with very hot drinks because of deteriorating performance and stability as well as due to the risk of burn injuries.

The lids are not suitable to use in microwave oven.

 $^{^1}$ Definition from COMMISSION REGULATION (EU) 2016/1416: "hot-fill" means the filling of any article with a food with a temperature not exceeding 100 °C at the moment of filling, after which the food cools down to 50 °C or below within 60 minutes, or to 30 °C or below within 150 minutes.



Test conditions

Migration tests on the material of the article performed by an independent institute showed that under the following test conditions overall migration (see 1.) and specific migration (see 2.) fall below the respective limits given by regulation 10/2011.

Overall migration 3% Acetic acid 10 days at 40°C

10 % Ethanol 10 days at 40°C Olive oil 10 days at 40°C

Specific migration on metals and PAA 3% Acetic acid 10 days at 40°C

The ratio of food contact surface area to volume used is 6 dm²/kg

No substances of dual use are present in the product.

Please be advised that Duni AB does not add anything into the product.

This document of compliance is based on:

- Documentation from suppliers
- Global migration test
- Specific migration

This document was issued electronically and is therefore valid without signature.