

#### **DECLARATION OF COMPLIANCE**

Description	Material	Article Number
Cardboard boxes	Cardboard/PLA	188104

Duni declares that the article meets the requirements of:

- EU Regulation 10/2011/EC with amendments
- EU Regulation 1935/2004/EC
- EU Regulation 2023/2006/EC
- BfR XXXVI

# Overall migration (1)

According to the above-mentioned regulations, the overall migration does not exceed 10 mg/dm<sup>2</sup> or 60 mg/kg.

### Specific migration (2)

To our knowledge the product does not contain any monomers or additives with restrictions to regulation 10/2011/EC.

### Area of use

Based on the migration tests and Declaration of Compliance, the article can be used for hot and cold food. The article can be used for hotfill<sup>1</sup> and temperatures up to 70°C for 2 hours.

The boxes have been evaluated at high temperature conditions (See Test conditions) for the use in a microwave oven. However, different microwave ovens have different efficiency and might impact the material in different way.

<sup>&</sup>lt;sup>1</sup> Definition from COMMISSION REGULATION (EU) 2016/1416: "*hot-fill*" means the filling of any article with a food with a temperature not exceeding 100 °C at the moment of filling, after which the food cools down to 50 °C or below within 60 minutes, or to 30 °C or below within 150 minutes.



### Test conditions:

Migration tests on the article's material performed by an independent institute showed that under the following test conditions overall migration (see 1.) and specific migration (see 2.; SML) fall considerably below the respective limits given by regulation 10/2011.

# **Overall** migration

3% Acetic acid 10 % Ethanol 95% Ethanol Iso-Octane

2 hours at 70°C and 2 hours at 100°C 2 hours at 70°C and 2 hours at 100°C 2 hours at 60°C 0,5 hours at 40°C and 2 hours at 60°C MPPO (10 ppb screening) 2 hours at 100°C

The ratio is  $6 \text{ dm}^2/\text{kg}$ .

No substances of dual use are present in the product.

The product does not contain any functional barrier.

According to the document in our possession, Primary Aromatic Amines are below 10 PPb.

Please be advised that Duni AB does not add anything into the product.

This document of compliance is based on: **Documentation from suppliers** Global migration test

802336 Cardboard PLA ENG 20211018115515

This document was issued electronically and is therefore valid without signature.