# SAFETY DATA SHEET

Date of Issue: SDS No.: Version: May 1, 2017 RI-119 003



## 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY/ UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture		
Product name	: PILOT Permanent Marker 100/400	
Product code	: SCA-100-B/R/L/G	
	SCA-400-B/R/L/G	
Mixture name	: SCZ- B/R/L/G	

1.2. Use of the mixture : Ink for writing instrument

#### 1.3. Company identification e-mail address

Name of manufacture / supplier	: PILOT CORPORATION OF EUROPE
Address	: PAE de la Caille 74350 ALLONZIER-LA-CAILLE (France)
Telephone number	: +33 (0)4 50 08 33 00 Working hours (from 8.30am to 12.30pm and from 01.30pm to 05.30pm :04.00pm on Friday-French time)
Facsimile number	: +33 (0)4 50 46 43 59
E-mail address	: pilotfrance@piloteurope.com

1.4. Emergency telephone number : +33 (0)1 45 42 59 59 Association /Organization :ORFILA /INRS <u>http://www.centres-antipoison.net</u>

# 2. HAZARDS IDENTIFICATION

Based on the law and regulation in Japan		
Physical /Chemical haz	azards : Flammable liquid	
Environmental hazards	S : Not applicable	
Effect of exposure	: Not applicable	
Symptom of exposure	ire	
Inhalation	: Intentional exposure to ink vapors may cause respiratory irritation.	
Ingestion	: May cause upset stomach.	
Skin contact	: Ink contact with skin may cause irritation, swelling, or redness. It is not expected to cause an allergic skin reaction.	
Eye contact	: Ink contact with eye may be mildly irritating.	

Based on the law and regulation in Japan

For ink unless otherwise specified

Ingredients	CAS Number	EINECS Number	Weight %	Component
Ethanol	64 - 17 - 5	200-578-6	$50 \sim 60$	All colors
1-Methoxypropan-2-ol	107-98-2	203-539-1	20	All colors
Triethanolamine	102-71-6	203-049-8	0.1	Green
Copper compound	Non public	Non public	5.4	Green
Diphenylamine	122-39-4	204-539-4	< 0.18	Black

4. FIRST AID MEASU	URES		
Inhalation	Remove subject to ventilated fresh air. Consult physician if necessary.		
Ingestion	: Refer for medical attention.		
Skin contact	: Wash the affected area under tepid running water using a mild soap.		
	And refer for medical atte	ntion if irritation continues.	
Eye contact	Gently rinse the affected eyes with clean water for at least 15 minutes.		
	And refer for medical atte	ntion if irritation continues.	
First aid facilities	: Ensure eyewash and water service are available.		
Medical attention			
Local contam	ination		
: In case of	f skin or eye contamination trea	at as under First Aid Measures.	
Systemic pois	oning		
: There is	no specific antidote. Treat symp	otoms.	
5. FIRE-FIGHTING M	IEASURES		
5.1. Suitable extinguish	ing media	: In case of fire, use water spray, foam, dry,	
		chemical powder or carbon dioxide.	
5.2. Extinguishing med	ia which shall not be used for	: None	
safety			
5.3. Special exposure ha	azards arising from the	: CO <sub>2</sub> , CO, NO <sub>x</sub> , and SO <sub>x</sub> , are produced afte	

5.5. Additional information : None

substance or mixture itself, combustion products

#### 6. ACCIDENTAL RELEASE MEASURES

5.4. Special protective equipment for fire-figters

6.1. Personal precautions	: Use proper ventilation. Use eye and skin protection.
6.2. Environmental precautions	: Do not dispose of waste to the sewer.
6.3. Methods for cleaning up	Absorb spill with material (cloth or paper), then place in a chemical waste containers.
6.4. Additional information	: None

combustion.

: Not required.

SDS No.:RI-119

7. HANDLING AND STORAGE			
7.1. Handling	7.1. Handling : Avoid rough handling or dropping.		
7.1.1. Protective	neasures	: Not required in normal use.	
7.1.2. Measures to prevent aerosol and dust generation		: Not required in normal use.	
7.1.3. Measures required to protect the environment		: Not required in normal use.	
7.1.4 Specific requirements or handling rules		: None	
7.1.5. Precautions against fire and explosion		: Not required in normal use.	

- 7.2. Storage : Store in a dry, cool, well-ventilated location , away from possible all source of ignition.
- 7.3. Specific use(s) : Not use it except the ink for writing instruments.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values : Not available		
8.1.1. Occupational exposure controls	: Not available	
8.1.2. Biological limit values	: Not available	
8.1.3. DNEL and PNEC-value(s) as applicable	: No data	
8.2. Exposure controls		
8.2.1. Occupational exposure controls		
a) Respiratory protection	Not required in normal u	ise.
b) Hand protection : Not required in normal use.		ıse.
c) Eye protection : Not required in normal use.		ıse.
d) Skin protection : Not required in normal use.		ıse.
8.2.2. Environmental exposure controls		
: ACGIH TLV-TWA	: Ethanol	: 1000 ppm
	: 1-Methoxypropan-2-ol	: 100 ppm
	: Triethanolamine	$: 5 \text{ mg/m}^2$

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### For ink unless otherwise specified

9.1. General information

Appearance	: Liquid
	[Color] Black, Red, Blue, Green
Odor	: Alcohol odor

9.2. Important health, safety and environmental information

pH	: Not applicable
Boiling point / boiling range	: 78.3 degrees Celsius (ethanol)
Flash point	: 14.0 degrees Celsius (ethanol)
Flammability (solid, gas)	: Flammable
Explosive properties	: None
Oxidizing properties	: None
Vapor pressure	: 44 mmHg (at 20 degrees Celsius, ethanol)
Relative density	: 0.88-0.90 (at 20 degrees Celsius)
Solubility	: Not applicable
Water solubility	: Insoluble

SDS No.:RI-119

#### Product Name : PILOT Permanent Marker 100/400

Partition coefficient: n-octanol / water Viscosity Vapor density Evaporation rate

9.3. Other information : None

#### **10. STABILITY AND REACTIVITY**

10.1. Conditions to avoid	: Fire or intense heat may cause violent rupture of
	packages.
	: Take precautionary measures against static
	discharges.
10.2. Materials to avoid	: Strong oxidizing agents and reducing agents.
10.3. Hazardous decomposition products	: Heating can release vapours which can be ignited.
	: Burning produces obnoxious and toxic fumes, carbon
	oxides.

#### 11. TOXICOLOGICAL INFORMATION

or ink unless otherwise s	specified	
11.1. Toxicokinetics,	metabolism and distribution	: No data
11.2. Acute effects (acute toxicity, irritation and corrosivity)		
: Acute toxicity	Ethanol	:LD <sub>50</sub> 7060mg/kg (rat oral)
		$LDL_0$ 1400mg/kg (human oral)
	1-Methoxypropan-2-ol	:LD <sub>50</sub> 6600mg/kg (rat oral)
		:LD <sub>50</sub> 13000mg/kg (rabbit skin)
	Triethanolamine	: LD <sub>50</sub> 4.92ml/kg(rat)
: Irritation	Ethanol	: 400mg open ; MILD (rabbit skin)
		: 100mg/24h ; MILD (rabbit eye)
	1-Methoxypropan-2-ol	: 500mg/hr ; Slight (rabbit skin)
		: 500mg/24hr ; Slight (rabbit eye)
11.3. Sensitization		: No data
11.4. Repeated dose to:	xicity	: No data
11.5. CMR (carcinogen	icity, mutagenicity, and toxicity	y for reproduction) :No data

12. ECOLOGICAL INFORMATION	
12.1. Ecotoxicity	: No data
12.2. Mobility	: No data
12.3. Persistence and degradability	: No data
12.4. Bioaccumulative potential	: No data
12.5. Results of PBT assessment	: No data
12.6. Other adverse effects	: None
<ul><li>12.3. Persistence and degradability</li><li>12.4. Bioaccumulative potential</li><li>12.5. Results of PBT assessment</li></ul>	: No data : No data : No data

#### 13. DISPOSAL CONSIDERATIONS

Follow all regulations in your country.

- : No data
- : 2.6-4.6 mPa  $\cdot$  s (at 20 degrees Celsius)
- : 1.6 (at 20 degrees Celsius, ethanol)
- : No data

## 14. TRANSPORT INFORMATION

For ink unless otherwise specified.	
14.1. UN number	: 1993
14.2. Class	: 3
14.3. Proper shipping name	<sup>:</sup> Flammable Liquid N.O.S.(Ethanol)
14.4. Packing group	: II
14.5. Marine pollutant	: Not Marine Pollutant
14.6. Other applicable information	: None

The above mentioned information is for ink.

Finished marker pen itself is not regarded as hazardous goods.

Ink below 10ml per pen is absorbed in polyester filter reservoir inside of the pen.

#### **15. REGULATORY INFORMATION**

Follow all regulations in your country.

#### **16. OTHER INFORMATION**

The information here is given in good faith, but no warranty, express or implied, is made. Final determination of suitability of any material is the sole responsibility of the user.

End of SDS